



Parameters

Dimension





L1	30m
L2	35m
L3	40m
L4	45m
L5	50m
L6	55m

Configuration Parameters

Jib m	倍率 Fall	最大起重量幅度 Max. Capacity	15	20	25	30	35	40	45	50	55	
55m	a=2	34.1m /6t	6				5.35	4.25	3.35	2.65	2.1	
50m	a=2	35.3m /6t	6					4.7	3.8	3.05		
	a=3	26.6m /9t	9			6.8	5.2	4.5	3.5	2.8		
	a=4	18.8m /12t	12	10	9.1	6.8	5.2	4.5	3.5	2.8		
45m	a=2	36.3m /6t	6					4.9	3.95			
	a=3	27.5m /9t	9			6.8	5.8	4.7	3.7			
	a=4	20.2m /12t	12		9.2	6.8	5.8	4.7	3.7			
40m	a=2	37.4m /6t	6					5.05				
	a=3	28.1m /9t	9			7.2	6.0	4.8				
	a=4	21.5m /12t	12		9.4	7.2	6.0	4.8				
35m	a=2	37.4m /6t	6									
	a=3	28.1m /9t	9			7.2	6					
	a=4	21.5m /12t	12		9.4	7.2	6					
30m	a=2	37.4m /6t	6									
	a=3	28.1m /9t	9			7.2						
	a=4	21.5m /12t	12		9.4	7.2						